# Volume 188 1990

## Table of contents

No. 1 1–204 issued on February 22, 1990
No. 2 205–494 issued on March 10, 1990
No. 3 495–712 issued on March 30, 1990

### Nucleic acids, protein synthesis and molecular genetics

Evolution of large-subunit rRNA structure — The diversification of divergent D3 domain among major phylogenetic groups
*B. Michot, L.-H. Qu and J.-P. Bachellerie* 219–229

Interaction of upstream stimulatory factor with the human heme oxygenase gene promoter
*M. Sato, S. Ishizawa, T. Yoshida and S. Shibahara* 231–237

Determination of the DNA conformation of the simian virus 40 (SV40) enhancer in SV40 minichromosomes
*A. Martínez-Balbás, J. M. Casasnovas and F. Azorín* 269–273

Conformational and thermodynamic effects of naturally occurring base methylations in a ribosomal RNA hairpin of *Bacillus stearothermophilus*
*H. A. Heus, L. J. Formenoy and P. van Knippenberg* 275–281

The contacts of yeast $tRNA^{Ser}$ with seryl-tRNA synthetase studied by footprinting experiments
*A. C. Dock-Bregeon, A. Garcia, R. Giegé and D. Moras* 283–290

Antisuppression by mutations in elongation factor Tu
*S. Tapio and L. A. Isaksson* 339–346

Impaired *in vitro* kinetics of EF-Tu mutant Aa
*S. Tapio, N. Bilgin and M. Ehrenberg* 347–354

Effects of ageing on transcriptional and post-transcriptional regulation of malic enzyme and glucose-6-phosphate dehydrogenase in rat liver
*H. Fukuda, A. Katsurada and N. Iritani* 517–522

Cloning and sequencing of mammalian glutathione reductase cDNA
*M. Tutic, X. Lu, R. H. Schirmer and D. Werner* 523–528

Molecular analysis of the structural gene for yeast transaldolase
*I. Schaaff, S. Hohmann and F. K. Zimmermann* 597–603

Characterization of the translational start site for IF2$\beta$, a short form of *Escherichia coli* initiation factor IF2
*F. Morel-Deville, G. Vachon, C. Sacerdot, A. J. Cozzone, M. Grunberg-Manago and Y. Cenatiempo* 605–614

Autoregulation may control the expression of yeast pyruvate decarboxylase structural genes *PDC1* and *PDC5*
*S. Hohmann, H. Cederberg* 615–621

Properties and primary structure of the L-malate dehydrogenase from the extremely thermophilic archaebacterium *Methanothermus fervidus*
*E. Honka, S. Fabry, T. Niermann, P. Palm and R. Hensel* 623–632

### Protein chemistry and structure

Structural analysis of p36, a $Ca^{2+}$/lipid-binding protein of the annexin family, by proteolysis and chemical fragmentation
*N. Johnsson and K. Weber* 1– 7

Mapping of glucose and glucose-6-phosphate binding sites on bovine brain hexokinase — A $^{1}H$- and $^{31}P$-NMR investigation
*G. K. Jarori, S. B. Iyer, S. R. Kasturi and U. W. Kenkare* 9– 14

Heat capacity and entropy changes of the major isotype of the toad (*Bufo*) parvalbumin induced by calcium binding
*M. Tanokura* 23– 28

Identification of carboxylic acid residues in glucoamylase G2 from *Aspergillus niger* that participate in catalysis and substrate binding
*B. Svensson, A. J. Clarke, I. Svendsen and H. Møller* 29– 38

Arrangement of disulfide bridges and positions of sulfhydryl groups in tetanus toxin
*K. Krieglstein, A. Henschen, U. Weller and E. Habermann* 39– 45

Lactate dehydrogenase from the extreme thermophile *Thermotoga maritima*
*A. Wrba, R. Jaenicke, R. Huber and K. O. Stetter* 195–201

Evidence for a specific mechanism of laminin assembly
*I. Hunter, T. Schulthess, M. Bruch, K. Beck and J. Engel* 205–211

Carboxyl-terminal structure of basic fibroblast growth factor significantly contributes to its affinity for heparin
*M. Seno, R. Sadada, T. Kurokawa and K. Igarashi* 239–245

Characterization of a soluble form of human CD4 — Peptide analyses confirm the expected amino acid sequence, identify glycosylation sites and demonstrate the presence of three disulfide bonds
*R. J. Harris, S. M. Chamow, T. J. Gregory and M. W. Spellman* 291–300

Stereochemistry and lifetime of the GTP hydrolysis intermediate at the active site of elongation factor Tu from *Bacillus stearothermophilus* as inferred from the $^{17}O-^{55}Mn$ superhyperfine interaction
*H. R. Kalbitzer, J. Feuerstein, R. S. Goody and A. Wittinghofer* 355–359

Topological analysis of hydrogen bonding in protein structure
*B. Mao, K.-C. Chou and G. M. Maggiora* 361–365

Localization of phosphoserine residues in the α subunit of rabbit skeletal muscle phosphorylase kinase
*H. E. Meyer, G. F. Meyer, H. Dirks and L. M. G. Heilmeyer Jr* 367–376

Purification, biological properties and partial sequence analysis of 67-kDa calcimedin and its 34-kDa fragment from chicken gizzard
*R. Kobayashi and Y. Tashima* 447–453

NMR and molecular dynamics studies of the *mKr2* 'zinc finger'
*M. D. Carr, A. Pastore, H. Gausepohl, R. Frank and P. Roesch* 455–461

Preparation of monoclonal antibodies to hirudin and hirudin peptides — A method for studying the hirudin–thrombin interaction
*J.-M. Schlaeppi, S. Vekemans, H. Rink and J.-Y. Chang* 463–470

A low-molecular-mass Kazal-type protease inhibitor isolated from rat hepatocytes is identical to rat pancreatic secretory trypsin inhibitor II — Purification and amino acid sequence
*H. Kido, Y. Yokogoshi and N. Katunuma* 501–506

Study of a series of analogs of salmon calcitonin in which alanine replaces leucine
*R. M. Epand, R. F. Epand and R. C. Orlowski* 633–635

## Enzymology

Role of lysine-67 in the active site of class C β-lactamase from *Citrobacter freundii* GN346
*K. Tsukamoto, K. Tachibana, N. Yamazaki, Y. Ishi, K. Ujiie, N. Nishida and T. Sawai* 15–22

A structure-reactivity study of the binding of acetylglutamate to carbamoyl phosphate synthetase I
*H. G. Britton, A. García-España, P. Goya, I. Rozas and V. Rubio* 47–53

The effect of substituting phosphotyrosine for sulphotyrosine on the activity of hirudin
*J. Hofsteenge, S. R. Stone, A. Donella-Deana and L. A. Pinna* 55–59

Use of fragments of hirudin to investigate thrombin-hirudin interaction
*S. Dennis, A. Wallace, J. Hofsteenge and S. R. Stone* 61–66

A quantum chemical study of the enzymatic deamination of benzoadenine derivatives — A theoretical model of the interactions occurring between nucleosides and the active site of adenosine deaminase
*M. Orozco, E. I. Canela and R. Franco* 155–163

Purification and properties of two oxidoreductases catalyzing the enantioselective reduction of diacetyl and other diketones from baker's yeast
*J. Heidlas and R. Tressl* 165–174

Nuclear magnetic relaxation studies of the role of the metal ion in $Mn^{2+}$-substituted aminoacylase I
*D. Heese, S. Berger and K.-H. Röhm* 175–180

Detection of RNA-dependent DNA polymerase activity in the *Xiphophorus* melanoma system
*W. Lüke, H. Petry, K. Hoefer, A. Anders and F. Anders* 301–308

Inhibition of UDP-glucuronosyltransferase activity by possible transition-state analogues in rat-liver microsomes
*D. Noort, M. W. H. Coughtrie, B. Burchell, G. A. van der Marel, J. H. van Boom, A. van der Gen and G. J. Mulder* 309–312

Distance between the substrate and regulatory reduced coenzyme binding sites of bovine liver glutamate dehydrogenase by resonance energy transfer
*R. H. Lark and R. F. Colman* 377–383

Modified branched-chain amino acid pathways give rise to acyl acids of sucrose esters exuded from tobacco leaf trichomes
*L. Kandra, R. Severson and G. J. Wagner* 385–391

Purification and properties of uroporphyrinogen decarboxylase from *Saccharomyces cerevisiae* — Yeast uroporphyrinogen decarboxylase
*F. Felix and N. Brouillet* 393–403

The behavior of proteases in lecithin reverse micelles
*Q. Peng and P. L. Luisi* 471–480

Studies on prophenoloxidase activation in the mosquito *Aedes aegypti* L.
*M. Ashida, K. Kinoshita and P. T. Brey* 507–515

Purification and properties of L-aspartate aminotransferase of *Chlamydomonas reinhardtii*
*B. Lain-Guelbenzu, J. Muñoz-Blanco and J. Cárdenas* 529–533

Purification and characterization of a cytosolic protein-tyrosine kinase from porcine spleen
*T. Kobayashi, S. Nakamura, T. Taniguchi and H. Yamamura* 535–540

Localization of the peptidase activity of human serum butyrylcholinesterase in a ≈ 50-kDa fragment obtained by limited α-chymotrypsin digestion
*R. V. Rao and A. S. Balasubramanian* 637–643

## Carbohydrates, lipids and other natural products

Novel hyperglycosylated weak gelatin-binding fibronectin from human fetal placenta — Fractionation of a high poly(*N*-acetyllactosamine) fragment by tomato lectin affinity chromatography
*B. C. R. Zhu and R. A. Laine* 67–71

Chemical characterization of the regularly arranged surface layer glycoprotein of *Clostridium thermosaccharolyticum* D120-70
*E. Altman, J.-R. Brisson, P. Messner, and U. B. Sleytr* 73–82

The role of carbohydrate in recombinant human erythropoietin
*E. Tsuda, G. Kawanishi, M. Ueda, S. Masuda and R. Sasaki* 405–411

The structure of *Proteus mirabilis* O3 O-specific polysaccharide containing *N*-(2-hydroxyethyl)-D-alanine
*E. V. Vinogradov, W. Kaca, A. S. Shashkov, D. Krajewska-Pietrasik, A. Rozalski, Y. A. Knirel and N. K. Kochetkov* 645–651

## Physical and inorganic biochemistry

Differential scanning calorimetry of lobster haemocyanin
*M. Guzmán-Casado, A. Parody-Morreale, P. L. Mateo and J. M. Sánchez-Ruiz* 181–185

The complex formed between plastocyanin and cytochrome *c* — Investigation by NMR spectroscopy
*S. Bagby, P. C. Driscoll, K. G. Goodall, C. Redfield and H. A. O. Hill* 413–420

Side chain mobility in bovine calbindin $D_{9k}$ — Rotational motion of Tyr13
*R. Rigler, J. Roslund and S. Forsen* 541–545

The active centers of adenylylsulfate reductase from *Desulfovibrio gigas* — Characterization and spectroscopic studies
*J. Lampreia, I. Moura, M. Teixeira, H. D. Peck Jr, J. Legall, B. H. Huynh and J. J. G. Moura* 653–664

Evidence for variable metal-radical spin coupling in oxoferrylporphyrin cation radical complexes
*E. Bill, X.-O. Ding, E. L. Bominaar, A. X. Trautwein, H. Winkler, D. Mandon, R. Weiss, A. Gold, K. Jayaraj, W. E. Hatfield and M. L. Kirk* 665–672

## Membranes and bioenergetics

Infrared spectroscopic studies of detergent-solubilized uncoupling protein from brown-adipose-tissue mitochondria
*E. Rial, A. Muga, J. M. Valpuesta, J.-L. R. Arrondo and F. M. Goñi* 83– 89

A gated pathway for electrophoretic $Na^+$ fluxes in rat liver mitochondria — Regulation by surface $Mg^{2+}$
*P. Bernardi, A. Angrilli and G. F. Azzone* 91– 97

Evidence for an endogenous ATPase inhibitor protein in plant mitochondria — Purification and characterization
*B.. Norling, C. Tourikas, B. Hamasur and E. Glaser* 247–252

Analysis of the control of respiration rate, phosphorylation rate, proton leak rate and protonmotive force in isolated mitochondria using the 'top-down' approach of metabolic control theory
*R. P. Hafner, G. C. Brown and M. D. Brand* 313–319

Assembly of imported subunit 8 into the ATP synthase complex of isolated yeast mitochondria
*R. H. P. Law, R. J. Devenish and P. Nagley* 421–429

Triggering of mannosyltransferase activity in inner mitochondrial membranes by dolichyl-monophosphate incorporation mediated through phospholipids or fatty acids
*D. Ardail, O. Gateau-Roesch, P. Louisot, R. Morelis, J. P. Privat, M. Egret-Charlier and M. Ptak* 547–556

Effect of pressure and calcium on the reversible inhibition of the sarcoplasmic-reticulum calcium-transport enzyme and on its tryptic cleavage pattern
*N. Ronzani, W. Hasselbach and L. Stephan* 557–565

The interaction of Triton X-100 with purple membranes — Detergent binding, spectral changes and membrane solubilization
*J. M. González-Mañas, M. D. Virto, J.-I. G. Gurtubay and F. M. Goñi* 673–678

Purification and further characterization of the second nitrate reductase of *Escherichia coli* K12
*C. Iobbi-Nivol, C.-L. Santini, F. Blasco and G. Giordano* 679–687

## Metabolism and metabolic regulation

Endocytosis of liposomes containing lysosomal proteins increases intracellular protein degradation in growing L-132 cells
*J. L. Vargas, E. Knecht and S. Grisolía* 99–109

Metabolic studies with NMR spectroscopy of the alga *Dunaliella salina* trapped within agarose beads
*M. Bental, U. Pick, M. Avron and H. Degani* 111–116

The role of intracellular orthophosphate in triggering osmoregulation in the alga *Dunaliella salina*
*M. Bental, U. Pick, M. Avron and H. Degani* 117–122

Identification of a cholesterol-regulated 180-kDa microsomal protein in rat hepatocytes
*D. Haro, P. F. Marrero, J. Ayté and F. G. Hegardt* 123–129

A 'top-down' approach to the determination of control coefficients in metabolic control theory
*G. C. Brown, R. P. Hafner and M. D. Brand* 321–325

Polychlorinated biphenyls increase fatty acid desaturation in the proliferating endoplasmic reticulum of pigeon and rat livers
*J. T. Borlakoglu, J. D. Edwards-Webb and R. R. Dils* 327–332

Glucose requirement for postischemic recovery of perfused working heart
*R. T. Mallet, D. A. Hartman and R. Bünger* 481–493

Interactions between glutamine metabolism and cell-volume regulation in perfused rat liver
*D. Häussinger, F. Lang, K. Bauers and W. Gerok* 689–695

A hysteretic cycle in glucose 6-phosphate metabolism observed in a cell-free yeast extract
*K. Eschrich, W. Schellenberger and E. Hofmann* 697–703

## Signal transduction and molecular neurobiology

Two subcellular locations for peripheral-type benzodiazepine acceptors in rat liver
*G. B. O'Beirne, M. J. Woods and D. C. Williams* 131–138

The interference of EDTA in searching for heat-stable low-$M_r$ inhibitors of protein kinases
*V. G. Zevgolis, T. G. Sotiroudis and A. E. Evangelopoulos* 203–204

Retraction
*I. Pribilla, H. Krüger, K. Buchner, H. Otto, W. Schiebler, D. Tripier and F. Hucho* 204

Regulation of gene expression by transfected subunits of cAMP-dependent protein kinase
*W. Büchler, M. Meinecke, T. Chakraborty, T. Jahnsen, U. Walter and S. M. Lohmann* 253–259

The diacylglycerol kinase inhibitor, R59022, potentiates cholecystokinin-induced enzyme secretion from rabbit pancreatic acini
*A. G. H. Ederveen, S. E. van Emst-de Vries, J. J. H. H. M. de Pont and P. H. G. M. Willems* 333–338

Platelet protein phosphorylation and protein kinase C activation by phorbol esters with different biological activity and a novel synergistic response with $Ca^{2+}$ ionophore
*S. F. Brooks, P. C. Gordge, A. Toker, A. T. Evans, F. J. Evans and A. Aitken* 431–437

Cholera toxin differentially decreases membrane levels of $\alpha$ and $\beta$ subunits of G proteins in NG108-15 cells
*F.-J. Klinz and T. Costa* 567–576

Fast and slow isoforms of troponin I and troponin C — Distribution in normal rabbit muscles and effects of chronic stimulation
*K.-T. Härtner and D. Pette* 261–267

Structure and biosynthesis of the signal-sequence receptor
*S. Prehn, J. Herz, E. Hartmann, T. V. Kurzchalia, R. Frank, K. Roemisch, B. Dobberstein and T. A. Rapoport* 439–445

Phosphorylation of high-$M_r$ caldesmon by protein kinase C modulates the regulatory function of this protein on the interaction between actin and myosin
*T. Tanaka, H. Ohta, K. Kanda, T. Tanaka, H. Hidaka and K. Sobue* 495–500

Occurrence of tyrosine sulfate in proteins — a balance sheet — 1. Secretory and lysosomal proteins
*A. Hille, T. Braulke, K. von Figura and W. B. Huttner* 577–586

Occurrence of tyrosine sulfate in proteins — a balance sheet — 2. Membrane proteins
*A. Hille and W. B. Huttner* 587–596

## Molecular cell biology

Identification and characterization of phospholipase $A_2$ inhibitory proteins in human mononuclear cells
*C. Coméra, B. Rothhut and F. Russo-Marie* 139–146

Mechanism of glucocorticoid regulation of alkaline phosphatase gene expression in osteoblast-like cells
*E. Green, B. Todd and D. Heath* 147–153

Asymmetric distribution of the phosphatidylinositol-linked phospho-oligosaccharide that mimics insulin action in the plasma membrane
*I. Varela, J. F. Alvarez, R. Clemente, J. M. Ruiz-Albusac and J. M. Mato* 213–218

## Developmental biochemistry and immunology

Ontogenesis of rabbit liver cytochrome *P*450 — Evidence for a cytochrome *P*450-IIE (3a)-related form prevailing during the postnatal period
*C. Bonfils, J. Combalbert, T. Pineau, J. Angevin, C. Larroque, J. Derancourt, J.-P. Capony and P. Maurel* 187–194

Information for authors 707–712

Indexed in *Current Contents*